

WTC POWER PALLET TRUCK EPT-20-20W

*Please turn page for all
advantages + technical data*



WTC - BEST ERGONOMIC EQUIPMENT - AT LOWEST PRICES

WTC Power Pallet Truck

EPT-20-20W

- Battery tray option.
- Long life reaction system.
- The traction unit is mounted centrally, special stronger gear box makes long life of separately excited motor. It's external position ensures adequate ventilation
- Standard grease fitting on pivot points.
- Driving performance can be adjusted by program unit.
- Special in-line caster option for rough ground

TECHNICAL DATA EPT-20-20W

Model		EPT-20-20W	
		540	685
Characteristics	Capacity	kg	2000
	Operator type		Walkie
	Wheel (Drive/Load)		Polyurethane/Polyurethane
	Wheel quantity		1D+4L/1D+2L
Specifications	Maximum speed with/without load	km/h	4.6/5,9
	Maximum lifting speed with/without load	m/s	0.051/0.060
	Maximum lowering speed with/without load	m/s	0.052/0.059
	Gradeability Laden	%	5
Dimensions	Unladen	mm	7
	Lifting height	mm	120
	Ground clearance+fork thickness	mm	85
	Raised height	mm	205
	Overall length (unfolded)	mm	1802
	Fork length	mm	1150
	Body length (folded)	mm	652
	Overall width	mm	764
	Overall fork width	mm	540
	Min. outside turning radius	mm	1617
	Fork width	mm	185
	Aisle width (800*1200mm pallet): horizontal/vertical	mm	1600
	Aisle width (1000*1200mm pallet): horizontal/vertical	mm	1800
	Max battery size (L*W*H)	mm	650*215*587
Driving system	Battery type	V/Ah	Industry
	Voltage/Capacity	kW	24/210
	Driving motor	kW	0.93
	Lifting motor	kW	2.2
	Control system		Curtis 1243
	Traveling brake		Regenerate
	Packing brake		Mechanical

Specifications subject to change without notice

